Optional Rear Hanger E Bike Battery 36V 10Ah 13Ah 15ah Lithium Battery

Basic Information

Place of Origin: China
Brand Name: ENOOK
Model Number: Hanger-36V

• Minimum Order Quantity: 5

• Price: USD70-100USD/PC

Packaging Details: packed in professional carton

• Delivery Time: 10 working days

• Payment Terms: T/T

• Supply Ability: 5000PCS/Month



Product Specification

• Application: Electric Bicycles/Scooters

Battery Type: Lithium BatteryCycle Life: 1000timesWarranty: 2 Years

• Highlight: E Bike Battery 13Ah, E Bike Battery 10Ah,

36V 15ah Lithium Battery



More Images







Product Description

Factory Black Optional Rear Hanger Lithium Battery Pack 36V 10Ah 13Ah 15ah Battery for E bike

Product Description

Specifications of LITHTECH Hot Sale 36V 10Ah/13Ah/15ah/20ah li ion lithium battery packs :

Nominal Voltage	36V	Nominal Capacity	10Ah/13Ah/15ah/20ah
Weight	3.5Kg	Outer case	Aluminum alloy shell
Chemistry	lithium ion	Cycle Life	1000 times
Dimension	335*150*80mm	Standard Charge	Constant Current 0.2C, Constant Voltage 42V 100mA Cut-off
Fast Charge	Constant Current 0.5CA,Constant Voltage 42V 100mA Cut-off	Standard Discharge	Constant Current 0.2C/End Voltage 30V
Continuous Discharge Current	10A optional	Storage Temperature Range	Relative humidity:45-75% Pressure: 86-106KPa
Charge Temperature Range	0-45	Operation Temperature Range	0-60

Application:

The battery pack can be used in electonic vehicles, tricycles, ebike, solar energy storage system, camper, cans, electronic boat, marine ship etc.,

We use high quality cells, 3.7V 2000mah-3500mah 18650 cell, we will different cells for different applications.

We have been in lithium battery pack for more than 8 years and know how to provide you the right solution for you. Just let us know your detail application and request then we will choose the best solution for you.



Features



We are a lithium battery manufacturer, so we can provide you with customized services;

The capacity and dimension can customize according to your request:

01	Customized battery size and shell
UI	material

O2 Customized BMS charging and discharging current

Customized connect plug and socket, connector wire

Nominal Voltage	36V	Nominal Capacity	10Ah/13Ah/15ah/20ah
Weight	3.5Kg	Outer case	Aluminum alloy shell
Chemistry	lithium ion	Cycle Life	1000 times
Dimension	335*150*80mm	Standard Charge	Constant Current 0.2C, Constant Voltage 42V 100mA Cut-off
Fast Charge	Constant Current 0.5CA, Constant Voltage 42V 100mA Cut-off	Standard Discharge	Constant Current 0.2C/End Voltage 30V
Continuous Discharge Current	10A optional	Storage Temperature Range	Relative humidity:45-75% Pressure: 86-106KPa
Charge Temperature Range	0-45℃	Operation Temperature Range	0-60℃

We will different cells for different applications.

Products Display









Applications

Our products have a very widely range of use



The battery pack can be used in electonic vehicles, tricycles, ebike, solar energy storage system, camper, cans, electronic boat, marine ship etc.,



E-Scooter



Balance E-scooter



E-Bike



E-Motorcycle



Golf Cart



RC Drone



Solar Street Ligth



SolarWind Energy



Mobile Headlight



Waterpump



Power Tools



Stereo Set



We use high quality cells , such as 18650 21700 batteries, we use different cells for different applications



We have been in lithium battery pack for more than 10 years and know how to provide you the right solution for you. Just let us know your detail application and request then we will choose the best solution for you.

FAQ



Q1:When are you available?

A1: 24 hours online every day, messages will be replied once received.



Q2:What's your main products?

A2:Lithium battery ,Lipo battery,LiFePO4 battery, battery packs, Energy Storage battery,etc.For cylinder battery.



Q3:How is the quality of the products?

A3: 1.Always provide the premium authentic products, never fake. 2.Only provide A Grade cells



Q4: Do you provide the OEM&ODM service?

A4: Yes, we are experienced factory can provide OEM & ODM services.



Q5: How do we place an order?

A5: Step1. Contact us

Step2. Confirm products you need, the price and other details Step3: We make PI(Proforma Invoice) for you to make payment

Step4: Payment finished

Step5: Payment checking by our accountant

Step5: Products packed and shipped (tracking number will be provided once

shipped out)

Step6: Customer get the products and feedback



Q6: What's the lead time?

A6: 1. Sample orders: 1-3 working days

2. Bulk orders: 3-7 working days according to different quantities

3. OEM: 7-12 working days on receipt of sample confirmation

Company Introduction

Company Introduction

ShenZhen Enook Technology Co., Ltd company is professional manufacturer and supplier of lithium energy solutions, E-bike battery pack, which focus on manufacturing and designing of lithium cells and battery packs





Quality first is our principle, Satisfying all our customers is our tenet, win-win business is our aim. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.







In addition, we have obtained certificates. MSDS UN38.3 MSDS,ROHS,UL.ect. All our products keep selling wellnot only around China, but also inUSA, Philippines, Germany, England, Australia, Russia, France and other Europen and Asia countries





Fast delivery is one of our advantage, selecting a current products from catalogue, or customized products, 3⁻⁵ days is the normal time to prepare for the goods, OEM & ODM orders can be acceptable.

Quality is our life, price is our core competence, please don't hesitate to contact us if you have any requirement, we'll provide our best service to you.

Has passed CE certification and ROSH certification, excellent quality the company has obtained a number of patented technologies.

PACKAGING

PACKAGING



















Shipping by

















Professional suggestion to choose the best shipping delivery (Such as EMS DHL TNT UPS and FEDEX) for your commodities according to your demand.



Changsha Enook Technology Co., Ltd





wendy@enooktech.com enookbattery.com



ROOM 1717, JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT, CHANGSHA, HUNAN